$[Q-Z-O-R-O]_xZ-Q'$

or

or mixtures thereof; wherein Q, Q' and Q" may be the same or different anionic substituents selected from the group consisting of $MO_3S(CH_2CH_2O)_n$ —, MO_3S —(L)- 10 q(YO)m(CH2CH2O), and mixtures thereof, wherein M is H or a salt-forming cation, L is phenoethoxy, phenoxypropoxy or C1-C6 alkoxy, Y is -CH2CH(CH3)- or -CH(CH₃)CH₂—, n is an integer from 1 to 30, q is 1 or 0, m is an integer from 0 to 15 provided that m+q is at 15 least 1 and r is an integer from 0 to 30; x and y may be the same or different and are each integers with x selected from 0 to 20 and y selected from 1 to 20; the R-substituents may be the same or different alkylene substituents selected from the group consisting of 20 units. $-CH_2CH_2-$, $-CH_2CH(X)-$ and $-CH(X)CH_2$ wherein X is methyl, ethyl, methoxymethyl, or C₁-C₄alkylpoly(oxyalkylene)oxymethyl, or mixtures thereof; and the Z-substituents may be the same or different aryldicarbonyl substituents selected from the group 25 consisting of

and mixtures thereof with aryl-1,3-dicarbonyl or substituted aryl-1,3-dicarbonyl or substituted aryl-1,4-dicar- 35 bonyl groups.

2. Oligomeric esters or mixtures thereof according to claim 1 wherein x and y are integers below 8, and the Z-substituents are

- 3. Oligomeric esters according to claim 1 wherein x is an integer from 3 to 7 and y is an integer from 4 to 8.
- 4. Mixtures of anionic oligomeric esters according to claim 1 wherein Z is

all R substituents are independently selected from -CH₂CH₂--, -CH₂CH(CH₃)-- and -CH(CH₃)C-H₂--, and Q, Q' and Q" may be the same or different wherein n is an integer from 2 to 15.

5. Mixtures of anionic oligomeric esters according to claim 4 wherein the weight ratio of esters having formula I and esters having formula II is from about 30:1 to about 1:20.

6. Mixtures of anionic oligomeric esters according to claim 4 wherein the molar ratio of R substituents being -CH₂CH₂- substituents to R substituents being

-CH₂CH(CH₃)— and —CH(CH₃)CH₂— substituents is from about 0:1 to about 0.9:0.1.

7. Mixtures of anionic oligomeric esters according to claim 4 wherein at least 2% by weight of the esters having formula I or II contain from 4

units to about 8

8. Mixtures of anionic oligomeric esters according to claim 4 wherein the weight ratio of esters having formula I and esters having formula II is from about 30:1 to about 1:1 and wherein the molar ratio of R substituents being -CH2CH2- substituents to R substituents being -CH₂CH(CH₃)- and -CH(CH₃)CH₂- substituents is from about 0:1 to about 0.7:0.3 and wherein at least 2% by weight of the esters having formula I or II contain at least 4

9. A laundering and fabric care composition comprising from about 0.1% to about 50% by weight of a soil release component comprising anionic oligomeric esters and mixtures of anionic oligomeric esters of claim 1.

10. A detergent composition comprising from about 1% to about 50% by weight of a detersive surfactant selected from the group consisting of anionic surfactants, cationic surfactants, nonionic surfactants, zwitterionic surfactants and mixtures thereof, and from about 0.1% to about 50% by weight of anionic oligomeric esters or mixtures of anionic oligomeric esters according to claim 1.

11. A detergent composition according to claim 10 wherein the detersive surfactant component comprises at least one anionic detersive surfactant.

12. A composition according to claim 10 which is formulated as a liquid laundry detergent.

13. A composition according to claim 9 which is formulated as a bar, powder, granule, tablet or flowable gel, or is releasably contained in pouch or sheet form or in or upon other carrier substrate.

14. A composition according to claim 10 which is and are each selected from NaO₃S(CH₂CH₂O)_n 60 formulated as a bar, powder, granule, tablet or flowable gel, or is releasably contained in pouch or sheet form or in or upon other carrier substrate.

15. A detergent composition comprising from about 1% to about 30% by weight of a detersive surfactant 65 selected from the group consisting of anionic surfactants, cationic surfactants, nonionic surfactants, zwitterionic surfactants and mixtures thereof and from about 0.1% to about 4% by weight of anionic oligomeric